

Agenda (11/30)

Announce:
– Quiz on Thursday
– Observation Postponed till Thursday 12/2 5:30pm

2

- Project Presentation Schedule
- Finish Ch. 8
- Begin Ch. 9

Project Schedule:

Is there life on other planets?
Saturn's Rings
Gravity
SciFi's Effect on Science
Body Temp vs Environment

Project Schedule: Thursday 12/9

Joseph Giordana	Haley's Comet
Michael Ercolano	
Dan Rico	Dark Energy
Amy Altman	
Alyssa Schneyman	Copernicus
Nhya East	Divergence of Astronomy & Astrology
Matthew Brooks	
Carrie Ferrante	
Rob La Rosa	Why the 2012 Apocalypse Won't Happen
Samantha Mahoney	
	4



- The four terrestrial planets Mercury, Venus, Earth, and Mars – have similar sizes and structure
- These rocky worlds orbit in the inner part of the Solar System, too small and too warm to have captured massive hydrogen atmospheres like the Jovian giants
- They have very few natural satellites the Earth has the relatively large Moon and Mars has two small captured asteroids as moons



Mercury

- Mercury's radius is 1/3 and its mass 1/20 that of Earth
- Circular craters cover the surface with the largest one being Caloris Basin with a diameter of 1300 km
- Unlike the Moon where they are found almost exclusively in maria, congealed lava flows are found in many of Mercury's old craters and pave much of its surface





ChaoticTerrain

• "Chaotic terrain" feature opposite side of planet from Caloris Basin possibly caused by seismic waves generated by impact that created Caloris



9

Mercury's Temperature



Mercury's noon temperature at the equator (about 710 K = 820° F) and nighttime temperature (80 K = -320° F) are near the Solar System's surface extremes

These extremes result from Mercury's proximity to the Sun and its lack of atmosphere

10

Mercury's Atmosphere?



- Its low mass and proximity to the Sun do not allow Mercury to retain an atmosphere of any significance
- Its proximity to the Sun suggests that Mercury never had a significant atmosphere



- Silicates did not condense as easily as iron in the hot inner solar nebula where Mercury formed
- Rocky crust was blasted off by an enormous impact





Mercury's Magnetic Field "Been required for reproduction or departs" Mercury's very weak magnetic field probably due to: - Small molten core - Slow rotation rate

Mercury's Rotation

- Mercury spins very slowly with a sidereal rotation period of 58.646 Earth days, exactly 2/3 its orbital period around the Sun of 87.969 Earth days
- Consequently, Mercury spins 3 times for every 2 trips around the Sun



Mercury's Rotation

- Such a ratio of periods is called a *resonance*
- Mercury's resonance is the result of the Sun's tidal force on Mercury and its very elliptical orbit – the Sun cannot lock Mercury into a synchronous 1:1 rotation because of the high eccentricity of Mercury
- Mercury's solar day is 176 Earth days, longer than its year!
- Because of Mercury's slow rotation, near perihelion the Sun will briefly reverse direction in the Hermean sky

16

14



The Atmosphere of Venus

 Reflected spectra and spacecraft measurements show the Venusian atmosphere is 96% CO₂, 3.5% N₂, and small amounts of H₂O and other gases



The Atmosphere of Venus

- The clouds of Venus are sulfuric acid droplets with traces of water
 - The clouds are very high and thick, ranging from 30 km to 60 km above the surface
 - Surface cannot be seen through clouds
 - Some sunlight penetrates to surface and appears as tinged orange due to clouds absorbing blue wavelengths



19

The Atmosphere of Venus

- The atmosphere is extremely dense, reaching pressures about 100 times that of Earth's
- The lower atmosphere is very hot with
- temperatures of 750 K (900° F) at the surface, enough to melt lead Spacecraft have landed
- on Venus, but do not survive long



20

The Greenhouse Effect on Venus

- Large amounts of CO_2 in the Venusian atmosphere create an extremely strong greenhouse effect
- The effect is so strong Venus's surface is hotter (750 K!) than Mercury's although Venus is farther from the Sun
- The high temperature and density of the atmosphere then create the high Venusian atmospheric pressure



The Surface of Venus

- Ground features can be ٠ mapped with radar from Earth and spacecraft orbiting Venus since radar can penetrate the Venusian clouds
- Venus's surface is less mountainous and rugged than Earth, with most of its surface low, gently rolling plains





- · Radar maps have shown many puzzling surface features (or lack thereof)
 - Few plate tectonic features: continental blocks, crustal rifts, trenches at plate boundaries
 - A few distorted impact craters and crumbled mountains
 - Volcanic landforms dominate: peaks with immense lava flows, "blisters of uplifted rock, grids of long narrow faults, peculiar lumpy terrain

Active Surface? Volcanic eruptions have not been directly observed Some lava flows appear fresh Electrical discharges or Venus indicative of eruptions Brief increases in atmospheric sulfur content also indicative of eruptions

25

Active Surface?

• Numerous volcanic peaks, domes, and uplifted regions suggest that heat flows less uniformly within Venus than Earth – "hot spot" generation of volcanoes dominate on Venus, which is not the case on Earth





Venus is not Earth's twin!



Interior of Venus probably very similar to Earth – iron core and rock mantle

•

٠

Venus still evolving into the smooth heat flow patterns found on Earth
Earth rocks have more trapped water in them, making Earth rocks

"runnier" than Venusian rocks and the Earth crust thinner (which will allow easier cracking of the crust into plates for tectonic movement) 27

First Image from Venus Cerete The Market Research of the rese



- Solar day on Venus is 117 Earth days
- Venus rotates too slowly to generate a magnetic field



Mars

Vallis Marineris

• A rift running along the equator stretching 4000

• This canyon, named after Mariner, dwarfs the

km long, 100 km wide, and 7 km deep

Grand Canyon and would span the U.S.

- Although its diameter is 1/2 and its mass 1/10 that of Earth, Mars is the planet that most resembles the Earth
- Mars extensively ٠ photographed by the Mariner, Viking, and Mars Global Surveyor spacecraft



31

Mars

- On a warm day, the temperature hits about 50° F (10° C)
- Winds sweep dust and patchy ice crystal clouds through a sky that generally is clear enough for its surface to be seen from Earth
- Sparkling white polar caps contrast with the reddish color of most of the planet



32



Largest Mountain in the Solar System Olympus Mons — 15 miles (26 km)

Height scale is exaggerated by \sim factor of two.

The Tharsis Bulge

720 km

- Believed formed as hot material rose from the deep interior and forced the surface upward
- Scarcity of impact craters put its age at no older than 250 million years
- · May have created gigantic Valles Marineris



___ A

Polar Ice Caps

- Change in size with seasons (Mars tilt similar to Earth's)
 - Thin atmosphere creates more severe extremes in the seasons leading to large ice cap size variations
 - Southern cap is frozen CO₂ (dry ice) and its diameter varies from 5900 km in winter to 350 km in symmer

Polar Ice Caps



- Northern cap shrinks to about 1000 km, has surface layer of CO₂, but is primarily water ice and has separate layers indicative of climate cycles (including "ice ages")
- Water contained in Mars caps is far less than that in Earth's caps

38

Dune Fields

• Martian poles are bordered by immense deserts with dunes blown by winds into parallel ridges



Water on Ancient Mars

- From winding nature of features that often contain "islands", it is inferred that water once flowed on Mars
- No surface liquid is now present
- Huge lakes and small oceans thought to have once existed – evidence comes from smooth traces that look like old beaches around edges of craters and basins 40

Ancient Lake?



Mesas on Mars

- Image from *Mars Global Surveyor*, a Mars orbiter that ended its mission in 2007
- A flat-topped mesa



Martian River Delta

• A view of what appears to be a dried-up river delta



Lake Sediments

- Closeup image of rock at the *Opportunity* landing site
- Possibly formed from sediment at the bottom of a salty lake or ocean



The Atmosphere of Mars

- · Clouds and wind blown dust are visible evidence that Mars has an atmosphere
- Spectra show the atmosphere is mainly CO₂ (95%) with traces of N₂ (3%), oxygen and water
- The atmosphere's density . is about 1% that of the Earth's



The Atmosphere of Mars

- The lack of atmospheric density and Mars distance from the Sun make the planet very cold
 - Noon temperatures at the equator reach a bit above the freezing point of water
 - Night temperatures drop to a frigid 218 K (-67° F) Thus, most water is
 - frozen, locked up either below the surface as permafrost or in the polar caps as solid ice



46

The Atmosphere of Mars

- Clouds, generally made of dry ice and water-ice crystals, are carried by the winds
- As on Earth, the winds arise from warm air that rises at the equator, moves toward the poles, and is deflected by the Coriolis effect Winds are generally

and carry lots of dust!

gentle, but can strengthen

47

Not a drop of rain...



- No rain falls, despite clouds
 - Atmosphere is too cold and dry
 - Fog seen in valleys and ground frost has been observed
 - CO₂ "snow" falls on poles during winter

Morning Frost



Ancient Atmosphere of Mars

- Dry river beds indicate liquid water flowed in Mars's past
- This implies that Mars had to have a denser atmosphere (higher pressure) to prevent the fast vaporization of surface water into the atmosphere
- Cratering indicates that this thicker atmosphere disappeared about 3 billion years ago





Where did the atmosphere go?

- 2 ways Mars lost its thick atmosphere
 Mars was struck by a huge asteroid that blasted the atmosphere into space
 - Mars's low gravity coupled with low volcanic activity produced a net loss of gas molecules into space over the first 1-2 billion years of its existence, decreasing the effectiveness of the greenhouse effect to maintain a warm atmosphere

The Martian Interior

- Differentiated like the Earth's interior into a crust, mantle, and iron core
- Having a mass between that of dead Mercury and lively Earth/Venus implies Mars should be intermediate in tectonic activity
 - Numerous volcanic peaks and uplifted highlands exist
 - Olympus Mons and other volcanoes do not show any craters on their slopes indicating they may still occasionally erupt

The Martian Moons

- Phobos and Deimos are about 20 km across and are probably captured asteroids
- Their small size prevents gravity from pulling them Appendix into spherical (door 12 miles)
- Both are cratered, implying bombardment by smaller objects



Life on Mars?

- Interest in life on Mars grew enormously with the misinterpretation of observations made by astronomer Giovonni Schiaparelli in 1877, who called certain straight-line features on Mars "canali" meaning "channels"
 - English-speaking countries interpreted this as "canals" and the search for intelligent life on Mars began
 - Spacecraft photos later revealed features on Mars to be natural land structures

55



Life on Mars?

- Viking spacecraft landed on Mars to search for life up closer – no evidence found
- In 1996, a meteorite was found on Earth with a Mars origin
 - Certain meteorite structures suggested Martian bacteria
 - Most scientists today are unconvinced



Role of Mass and Radius

- Mass and radius affect interior temperature
- This in turn determines the level of tectonic activity
- Low-mass, small-radius planets will be cooler inside and hence less active than larger planets
- This relationship is in fact observed with Mercury (the least active), then Mars, then Venus/Earth

Role of Internal Activity

- Internal activity also affects a planet's atmosphere since volcanic gases are the most likely source of materials
- Low mass Mercury and Mars will have a smaller source of gas than Venus/Earth and the low surface gravity of these small planets also means they will have trouble retaining the gases they receive
- Mars, Venus, and Earth all probably started with CO₂ atmospheres with traces of N₂ and H₂O, but were then modified by sunlight, tectonic activity, and, in the case of the Earth, life

Role of Sunlight

- Sunlight warms a planet in a manner that depends on the planet's distance from the Sun – the closer the warmer
- Amount of warming depends on the amount and makeup of the atmospheric gases present
- Solar warming and atmospheric chemistry will also determine the structure of the atmosphere, which may "feed back" into the amount of warming that occurs
- For example, warmer Venus lifts water vapor to great heights in its atmosphere, whereas at cooler Earth, water condenses out at lower heights and the upper atmosphere is almost totally devoid of water

Role of Water Content

- Great differences in water content of upper atmospheres of Earth and Venus has lead to a drastic difference between their atmospheres at lower levels
- Water at high altitudes in Venusian atmosphere is lost to *photodissociation* as solar ultraviolet light breaks H₂O apart with the H escaping into space
- Venus, as a result, has lost most of its water, whereas Earth, with its water protected at lower altitudes, has not
- The water near Earth's surface then makes possible many chemical reactions not found on Venus – for example, CO₂ (a greenhouse gas) is removed from the atmosphere by dissolving in water

Role of Biological Processes

- Biological processes also remove CO₂ from the atmosphere
 - Dissolved CC
 - Dissolved CO₂ in ocean water is used by sea creatures to make shells of calcium carbonate
 - When these creatures die, their shells fall to ocean bottom forming a sediment
 - The sediment eventually changes to rock, thus tying up CO₂ for long periods of time
 - With CO_2 so readily removed from our atmosphere, mostly N_2 is left
 - Some CO₂ can be recycled back into the atmosphere by tectonic activity
- Green plants breaking down H₂O during photosynthesis is very likely the reason Earth's atmosphere has a high oxygen content